

# NU3040X Single row cylindrical roller bearing for Pinion shaft

Best Price And 3 - 5 Days Delivery.

Its Meaning We Can Offer Probably The Best Prices Available In Only One Hours Also Delivery.

For Customer In Each Country In 7 Days Via DHL Express Or AirFlight.

You can give me a message below, or send us an e-mail .

We will provide you with professional, efficient service.

Bearing Item		Size d <sub>i</sub> ×D <sub>j</sub> ×B (mm)	Weight (kg)
New Code	Older Code		
NU1004M	32104H	20 <sub>i</sub> ×42 <sub>j</sub> ×12	0.079
NU1005M	32105H	25 <sub>i</sub> ×47 <sub>j</sub> ×12	0.105
NN3005K	3182105	25 <sub>i</sub> ×47 <sub>j</sub> ×16	0.145
NU1006M	32106H	30 <sub>i</sub> ×55 <sub>j</sub> ×13	0.139
NN3006K	318216	30 <sub>i</sub> ×55 <sub>j</sub> ×19	0.190
NN3006 K/W33	3182106K	30 <sub>i</sub> ×55 <sub>j</sub> ×19	0.190
NN3006	3282106	30 <sub>i</sub> ×55 <sub>j</sub> ×19	0.19
NN3007K	3182107	35 <sub>i</sub> ×62 <sub>j</sub> ×26	0.254
NN3007K/W33	3182107K	35 <sub>i</sub> ×62 <sub>j</sub> ×26	0.254
NN3007	3282107	35 <sub>i</sub> ×62 <sub>j</sub> ×26	0.256
N1008M	2108H	40 <sub>i</sub> ×68 <sub>j</sub> ×15	
NN3008K	3182108	40 <sub>i</sub> ×68 <sub>j</sub> ×21	0.301
NN3008KTN1	3182108A	40 <sub>i</sub> ×68 <sub>j</sub> ×21	0.301
NN3008	3282108	40 <sub>i</sub> ×68 <sub>j</sub> ×21	0.301
NU1009M	32109H	45 <sub>i</sub> ×75 <sub>j</sub> ×16	0.279
NN3009K	3182109	45 <sub>i</sub> ×75 <sub>j</sub> ×23	0.400
NN3009KTN1	3182109A	45 <sub>i</sub> ×75 <sub>j</sub> ×23	0.40
NN3009K/W33	3182109K	45 <sub>i</sub> ×75 <sub>j</sub> ×23	0.40
NN3009	3282109	45 <sub>i</sub> ×75 <sub>j</sub> ×23	0.301
N1010	2110	50 <sub>i</sub> ×80 <sub>j</sub> ×16	0.300
NU1010M	32110H	50 <sub>i</sub> ×80 <sub>j</sub> ×16	0.310

NN3010K	3182110	50 <sub>i</sub> Á80 <sub>i</sub> Á23	0.424
NN3010	3282110	50 <sub>i</sub> Á80 <sub>i</sub> Á23	
NN3010KTN1	3182110A	50 <sub>i</sub> Á80 <sub>i</sub> Á23	0.424
NN3010K/W33	3182110K	50 <sub>i</sub> Á80 <sub>i</sub> Á23	0.424
N1011E	2111E	55 <sub>i</sub> Á90 <sub>i</sub> Á18	0.421
NU101M	32111H	55 <sub>i</sub> Á90 <sub>i</sub> Á18	0.45
NN3011K	3182111	55 <sub>i</sub> Á90 <sub>i</sub> Á26	0.629
NN3011KTN1	3182111A	55 <sub>i</sub> Á90 <sub>i</sub> Á26	0.629
NN3011K/W33	3182111K	55 <sub>i</sub> Á90 <sub>i</sub> Á26	0.629
NN3011	3282111	55 <sub>i</sub> Á90 <sub>i</sub> Á26	
N1012M	2112H	60 <sub>i</sub> Á95 <sub>i</sub> Á18	0.48
NU1012M	32112H	60 <sub>i</sub> Á95 <sub>i</sub> Á18	0.48
NN3012K	3182112	60 <sub>i</sub> Á95 <sub>i</sub> Á26	0.668
NN3012KTN1	3182112A	60 <sub>i</sub> Á95 <sub>i</sub> Á26	0.668
NN3012K/W33	3182112	60 <sub>i</sub> Á90 <sub>i</sub> Á26	0.668

Bearing Item		Size d <sub>i</sub> ÁD <sub>i</sub> ÁB (mm)	Weight (kg)
New Code	Older Code		
NN3012K/C9	3182112U	60 <sub>i</sub> Á90 <sub>i</sub> Á26	
NN3012	3282112	60 <sub>i</sub> Á90 <sub>i</sub> Á26	0.668
NU1013M	32113H	65 <sub>i</sub> Á100 <sub>i</sub> Á18	
			0.52
NN1013K	3182113	65 <sub>i</sub> Á100 <sub>i</sub> Á26	
NN3013KTN1	3182113A	65 <sub>i</sub> Á100 <sub>i</sub> Á26	0.708
NN3013 K/W33	3182113K	65 <sub>i</sub> Á100 <sub>i</sub> Á26	0.708
			0.708
NN3013	3282113	65 <sub>i</sub> Á100 <sub>i</sub> Á26	
NU1014M	32114H	70 <sub>i</sub> Á110 <sub>i</sub> Á20	
RNU1014M	292114H	80 <sub>i</sub> Á110 <sub>i</sub> Á20	0.718
			0.529
NN3014K	3182114	70 <sub>i</sub> Á110 <sub>i</sub> Á30	
NN3014KTN1	3182114A	70 <sub>i</sub> Á110 <sub>i</sub> Á30	1.03
NN3014K/W33	3182114K	70 <sub>i</sub> Á110 <sub>i</sub> Á30	1.03
			1.03
NN3014	3282114	70 <sub>i</sub> Á110 <sub>i</sub> Á30	
NNF5014AKA-2LSV	5372114	70 <sub>i</sub> Á110 <sub>i</sub> Á54	
	C4G32115		
NN3015K	3182115	75 <sub>i</sub> Á115 <sub>i</sub> Á30	
NN3015KTN1	3182115A	75 <sub>i</sub> Á115 <sub>i</sub> Á30	1.08
NN3015K/W33	3182115K	75 <sub>i</sub> Á115 <sub>i</sub> Á30	1.08

NN3015 N1016E/C4	3282115 C4G2116EK	75;Á115;Á30	1.08
N1016M	2116H	80;Á125;Á22	1.00
NN3016K	3182116	80;Á125;Á34	1.53
NN3016KTN1	3182116A	80;Á125;Á34	1.53
NN3016 K/W33	3182116K	80;Á125;Á34	1.50
NN3016K/C9W33	3182116KU	80;Á125;Á34	1.50
NU3016	3282116	80;Á125;Á34	1.50
N1017M	2117H	85;Á130;Á22	1.04
RNU1017M	292117H	96.5;Á130;Á22	0.72
RNU1017M/W33	292117HK	96.5;Á130;Á22	0.72
NN3017	3182117	85;Á130;Á34	1.63
NU1018M	3182117A	85;Á130;Á34	1.63
RNU1018H	3182117K	85;Á130;Á34	1.63
NN3018K	3282117	85;Á130;Á34	1.63
NN3018KTN1	32118H	90;Á140;Á24	1.42
NN3018K/W33	292118H	103;Á140;Á24	0.98
NN3018K/C9	3182118	90;Á140;Á37	2.12
	3182118A	90;Á140;Á37	2.12
	3182118K	90;Á140;Á37	2.12
	3182118U	90;Á140;Á37	2.12